

Power for virtualized and cloud environments

New UPS bundles seamlessly integrate into industry-leading virtualization platforms.

Eaton delivers products that solve your power problems with both the reliability and flexibility you require to adapt to an ever-changing virtual infrastructure. The new virtualization-ready UPS bundles make going virtual simple — pairing some of the most popular UPSs with a network card and management software in one convenient package.

Managing power has never been easier.


Eaton provides a software solution that expands the capabilities of your virtual platform — creating a strategic, maximized asset. By integrating your UPS and network card with Eaton's free (up to 10 power nodes, unlimited virtual machines) Intelligent Power® Software Suite (IPSS), you can monitor and manage your UPSs and connected equipment anytime, anywhere.

Eaton's virtualization solution allows you to:

- Seamlessly integrate with VMware's vCenter Server™ virtualization management solution, as well as virtualization platforms such as Citrix® XenServer, Microsoft SCVMM™, Red Hat® and other Xen® open source platforms
- Extend battery runtime by consolidating virtual machines (VMs) with systems such as VMware's vMotion™
- Measure and manage power either inside or outside the data center, even by individual outlet segment for some devices
- Provide disaster avoidance with a planned migration application, such as VMware Site Recovery Manager and Microsoft Live Migration
- Remotely shut down VMs and host servers



Powering Business Worldwide



UPS bundles selection guide

All of the following UPS models are available bundled with Network Card-MS.

5PX UPS

Part Number*	Power Rating (VA/Watts)	Input Plug	Output Receptacles	Dimensions (H x W x D), in	Weight, lb
120V, 50/60 Hz Models					
5PX1500RTN	1440 / 1440	5-15P	(8) 5-15R	3.4 (2U) x 17.4 x 20.6	65.0
5PX2200RTN	1950 / 1920	5-20P	(8) 5-20R	3.4 (2U) x 17.4 x 20.6	65.0
5PX3000RTN	3000 / 2700	L5-30P	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.4 x 25.4	87.0

208/230V, 50/60 Hz Models

5PX3000iRTN	3000 / 2700	C20	(8) C13, (1) C19	3.4 (2U) x 17.4 x 25.4	84.0
-------------	-------------	-----	------------------	------------------------	------

9130 UPS

Part Number*	Power Rating (VA/Watts)	Input Plug	Output Receptacles	Dimensions (H x W x D), in	Weight, lb
120V, 50/60 Hz Models					
PW9130L1500R-XL2UN	1500 / 1350	5-15P	(6) 5-15R	3.4 (2U) x 17.3 x 16.9	43.0
PW9130L2000R-XL2UN	2000 / 1800	5-20P	(6) 5-20R, (1) L5-20R	3.4 (2U) x 17.3 x 22.6	63.9
PW9130L3000R-XL2UN	3000 / 2700	L5-30P	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.3 x 22.6	65.0

9PX UPS

5 to 11 kVA models bundled with the Network Card-MS. See Eaton.com/9PX for complete specifications.

*Part numbers that end in the letter N are UPSs bundled with Network Card-MS (part # NETWORK-MS)



Eaton.com/5PX



Eaton.com/9130RM




Eaton.com/9PX

Intelligent Power Software Suite

IPPS incorporates two important applications for ensuring quality power and uptime: remote monitoring and management of power devices across the network, automatic and graceful shutdown when faced with an extended power outage.

Intelligent Power Manager supervisory software lets you monitor and manage multiple power and environmental devices across the network from a single interface, giving you up-to-the-minute information on the status of power conditions on your network.

Intelligent Power Protector protection software provides graceful, automatic shutdown of network devices during a prolonged power disruption, preventing data loss and saving work-in-progress.



Eaton's IPM integrates seamlessly into VMware's vCenter dashboard


Eaton Corporation
Electrical Sector
1111 Superior Avenue
Cleveland, OH 44114 USA
Eaton.com

©2012 Eaton Corporation
All Rights Reserved
Printed in USA
COR177FXA
October 2012

Network Card-MS features

- Provides versatile support through HTTP, SNMP, SMTP, Telnet, SSL and SSH compatibility
- Enables remote management of a UPS or rebooting of protected devices over SNMP/Web
- Data and event logging
- Customizable actions including automatic shutdown in the event of an extended power failure
- Initiate email/SMS notification of alerts
- Compatible with SNMPv3 and IPv6

5PX UPS with Network Card-MS (rear panel view)



To learn more, please visit:
Eaton.com/virtualization

This document was created using the official VMware icon and diagram library. Copyright © 2010 VMware, Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. VMware products are covered by one or more patents listed at <http://www.vmware.com/go/patents>.

Eaton and Intelligent Power are registered trademarks of Eaton Corporation.

All other trademarks are property of their respective owners.

VMware does not endorse or make any representations about third party information included in this document, nor does the inclusion of any VMware icon or diagram in this document imply such an endorsement.